

KAPIC | KAPIC Carbon

SPACERS CHART

ROTOR

P95-002-01107-002 Kapic Compatibility Chart / BN




KAPIC | SPACERS CHART

ROTOR




KAPIC ALUMINUM Axle compatibility chart

MTB STANDARD FRAME	AXLE		
Chainline 49 mm Q-Factor 163 mm	L135	L141	L144
KAPIC	✓		
MTB BOOST FRAME	AXLE		
Chainline 52 mm Q-Factor 169,5 mm	L135	L141	L144
KAPIC		✓	

KAPIC ALUMINUM 135 mm axle

Frame Cuadro				Compatible BB Pedalier compatible	NDS - L						DS - R						
					Type A: 2.1 mm	Type B: 6.1 mm	Type C: 8.6 mm	Type D: 1.3 mm	Type E: 0.5 mm	Type F: 3 mm	Type A: 2.1 mm	Type B: 6.1 mm	Type C: 8.6 mm	Type D: 1.3 mm	Type E: 0.5 mm	Type F: 3 mm	
	Width (mm)	Inner diam (mm)	Asymetric NDS (mm)														
BSA - 68	68	BSA Thread	-	BSA30			1					1					
BSA - 73	73	BSA Thread	-	BSA30	1				1	1							
			37,75		2				1						2		
			39						1	1	1						
BB30 - 68	68	42	-	BB30			1	1			1				1		
BB30 - 73	73	42	-	BB30	1			1		1					1		
			37,75		2			1					1	2			
BB30 - 83	83	42	-	BB30				1	1			1					
BB84	84,5	42	-	BB30				1				1					1
PF30 - 68	68	46	-	PF4630			1	1				1			1		
				UBB PF30			1					1					
PF30 - 73	73	46	-	PF4630	1			1		1					1		
				UBB PF30	1				1	1							
			37,75	PF4630	2			1						1	2		
				UBB PF30	2				1						2		
PF30 - 83	83	46	-	PF4630				1	1			1					
				UBB 386					1			1					
BB89	89,5	41	-	PF4130		1				1						1	
BB92	92	41	43,5	PF4130	NOT COMPATIBLE												
			44,75		NOT COMPATIBLE												
CANNONDALE ® Ai PF30A/73/83 BB30A/73/83				NOT COMPATIBLE													




KAPIC ALUMINUM 141 mm axle

Frame Cuadro				Compatible BB Pedalier compatible	NDS - L						DS - R					
					Type A: 2.1 mm	Type B: 6.1 mm	Type C: 8.6 mm	Type D: 11.3 mm	Type E: 0.5 mm	Type F: 3 mm	Type A: 2.1 mm	Type B: 6.1 mm	Type C: 8.6 mm	Type D: 11.3 mm	Type E: 0.5 mm	Type F: 3 mm
	Width (mm)	Inner diam (mm)	Asymmetric NDS (mm)													
BSA - 68	68	BSA Thread	-	BSA30				1			1					1
BSA - 73	73	BSA Thread	-	BSA30			1									1
			37,75			1			3		2					
BB30 - 68	68	42	-	BB30			1	1			1	1				1
			37,75			1	1							1	1	
BB30 - 73	73	42	-	BB30			1	1							1	1
			37,75			1	1	2			1	1		1		
BB30 - 83	83	42	-	BB30	2			1						1		
BB84	84,5	42	-	BB30				1		1	1	1				
PF30 - 68	68	46	-	PF4630			1	1		1	1				1	1
				UBB PF30				1	1		1					1
PF30 - 73	73	46	-	PF4630				1	1						1	1
				UBB PF30				1							1	
			37,75	PF4630		1		1	2			1	1		1	
				UBB PF30		1			2						2	1
PF30 - 83	83	46	-	PF4630	2			1						1		
				UBB 386	2								1			
BB89	89,5	41	-	PF4130	1	1			2						1	1
BB92	92	41	43,5	PF4130		1		1								
			44,75			1			1	1					2	
CANNONDALE® Ai PF30A/73/83 BB30A/73/83				NOT COMPATIBLE												




KAPIC CARBON Axle compatibility chart

MTB BOOST FRAME	AXLE		
Chainline 52 mm Q-Factor 169,5 mm	L135	L141	L144
KAPIC Carbon	✓		
MTB SUPERBOOST FRAME	AXLE		
Chainline 56,5 mm Q-Factor 178,5 mm	L135	L141	L144
KAPIC Carbon			✓

KAPIC CARBON 135 mm axle

Frame Cuadro				Compatible BB Pedalier compatible	NDS - L						DS - R						
	Width (mm)	Inner diam (mm)	Asymetric NDS (mm)		Type A: 2.1 mm	Type B: 6.1 mm	Type C: 8.6 mm	Type D: 11.3 mm	Type E: 0.5 mm	Type F: 3 mm	Type A: 2.1 mm	Type B: 6.1 mm	Type C: 8.6 mm	Type D: 11.3 mm	Type E: 0.5 mm	Type F: 3 mm	
BSA - 68	68	BSA Thread	-	BSA30	1					1	1					1	1
BSA - 73	73	BSA Thread	-	BSA30	1				1								1
			37,75		1										2	1	
			39					1		1							1
BB30 - 68	68	42	-	BB30	1			1	1	1				1	1	1	
BB30 - 73	73	42	-	BB30	1			1	1						1	1	1
			37,75					1	2			1	1		1		
BB30 - 83	83	42	-	BB30			1	1					1				
BB84	84,5	42	-	BB30			1				1	1					
PF30 - 68	68	46	-	PF4630	1			1	1	1				1		1	
				UBB PF30	1			1	1	1						1	
PF30 - 73	73	46	-	PF4630	1			1	1					1		1	
				UBB PF30					1							1	
				PF4630				1	2			1	1		1		
PF30 - 83	83	46	-	UBB PF30	1									2	1		
				PF4630			1	2				1					
UBB 386	83	46	-	UBB 386			1	2					1				
				UBB 386					2	1							
BB89	89,5	41	-	PF4130					2	1					1	1	
BB92	92	41	43,5	PF4130	2				1								
			44,75					1	1						2		
CANNONDALE® Ai PF30A/73/83 BB30A/73/83				NOT COMPATIBLE													

KAPIC CARBON 144 mm axle

Frame Cuadro				Compatible BB Pedalier compatible	NDS - L						DS - R					
	Width (mm)	Inner diam (mm)	Asymetric NDS (mm)		Type A: 2.1 mm	Type B: 6.1 mm	Type C: 8.6 mm	Type D: 11.3 mm	Type E: 0.5 mm	Type F: 3 mm	Type A: 2.1 mm	Type B: 6.1 mm	Type C: 8.6 mm	Type D: 11.3 mm	Type E: 0.5 mm	Type F: 3 mm
BSA - 68	68	BSA Thread	-	BSA30	2	1										
BSA - 73	73	BSA Thread	-	BSA30		1			2			1			2	
			37,75			1						1				
BB30 - 68	68	42	-	BB30		1		1	1	1				1	1	2
BB30 - 73	73	42	-	BB30		1		1	2			1		1	2	
			37,75			1	1				1	1				
BB30 - 83	83	42	-	BB30	1			1	1		1			1		
BB84	84,5	42	-	BB30	2		1					2			1	
PF30 - 68	68	46	-	PF4630			1	1	2				1	1	2	
				UBB PF30	2	1							1		2	
PF30 - 73	73	46	-	PF4630		1		1	2			1		1	2	
				UBB PF30		1		2			1			2		
				PF4630		1		1				1	1			
UBB PF30		1							1							
PF30 - 83	83	46	-	PF4630	1			1	1		1			1		
				UBB 386	1				1		1			1		
BB89	89,5	41	-	PF4130	1	1					1	1				
BB92	92	41	43,5	PF4130			1		1		2					
			44,75		1	1					1				1	1
CANNONDALE® Ai PF30A/73/83 BB30A/73/83				NOT COMPATIBLE												



Rotor Componentes Tecnológicos SL - info@rotorbike.com
Pol. Ind. Conmar C/Miño, 14. 28864 Ajalvir, Madrid, Spain
Tel. +34 918843846 Fax. +34 918843865

www.rotorbike.com



Papel ecológico, libre de cloro. Bosques sostenibles.
Tintas de "biomasa" a base de plantas.
Ecological paper, chlorine free. Sustainable forests.
Inks of "biomass" based on plants.